

Corrections and Additions to B.I.A. Plate Number Checklist, Plates 1-20,000

The following corrections and additions to the checklist published in 1990 have been tabulated as of September 2008. The phrase "is reported" indicates that this plate was not previously known to have been used for the indicated Scott number. The phrase "is known" indicates that the plate was known to have been used for an issue, but was previously unreported.

In the Checklist, as well as these corrections, private vending and affixing machine coils are listed as varieties of imperf coils (i.e., as 344H or 344V). The correct Scott numbers, however, are those of the imperforate sheet stamps (i.e., 344) and these have been listed this way in Appendix A of the Durland. These privately manufactured coils were made from sheets, not from imperforate government coils.

The 1990 edition of the Checklist listed imperf government coils with E and S subscripts. These should all be changed to V and H, respectively, to correspond to current Scott numbers.

Plate 34, note 1. Issued July 20.

Plates 37-43. The numbers are those issued, not the impressions. The number of printings of these plates was 3,3,5,1,5,5, and 2.

Plate 56 not used for 270.

Plate 59 not used for 269.

Plates 73 and 74 were not always at press together. For 73, at press periods were 3-31 to 4-3-99, 11-14 to 11-15-99, 6-24 to 6-26-01, 9-12 to 9-13-01 and 2-3 to 2-6-06. For 74, at press periods were 3-31 to 4-1-99, 11-14 to 11-15-99, 7-27 to 7-30-00, 11-15 to 11-17-04 and 2-5 to 2-6-06.

Plates 81, 83. The numbers given are those issued, not the impressions. There were 4 printings of each plate.

Plate 108. The number given is those issued, not the impressions. Two printings.

Plates 118 and 127. The numbers given are those issued. One printing each.

Plate 176, Hardening date probably 7-17-95.

Plate 220-2. Hardened 11-14-95.

Plate 254. Final drop date 8-16-02.

Plate 298, Note 2. 11,600 impressions.

Plate 410. Reported on Porto Rico 212.

Plates 475, 480-3, 501-3. Change R155a to R155c.

Plate 494. Unreported on R153.

On plates 505 ff., change R155 to R155A and R155a to R155h. Change Cu222 to Cu222A and Cu223 to Cu223A.

Plate 538 unreported on R153.

Plate 796 is thought to have been used for Cuba 221, but is unreported.

Plate 882 used for Cuba special printing, but unreported.

Plates 885,6. The Cuba special printings are unreported.

Plate 926 is reported on Ph214.

Plate 929. Bottom plate single is reported on Guam 7 Special Printing.

Plate 942 to press until 2-1-00.

Plates 953,954 to press 1-9 to 2-26-00, 5-22 to 6-4-00.

Plate 960 to press 1-31 to 2-26-00, 5-22 to 7-5-00.

Plate 961 to press 1-30 to 2-26-00.

Plate 962 to press 2-1 to 2-26-00, 7-2 to 7-5-00.

Plate 963 to press 2-1 to 2-26-00, 5-22 to 7-5-00.

Plate 969 not reported on Ph213.

Plate 975 not reported on Cu221 special printing.

Plate 1005 not reported on Ph213.

Plates 1008-11 were at press 3 times.

Plate 1072 known on Ph214.

Plates 1080, 1082 are unreported on Phillipines 214.

Plate 1150 at press 4-10 to 5-2-01 and 8-21 to 9-23-01.

Plates 1204, 1206 are unreported on Phillipines 213.

Plate 1242 at press 35 times. For Postage Due printing dates, see Research Paper #1 available from the BIA.

Plate 1243 at press 36 times.

Plate 1244 at press 30 times.

Plate 1245 at press 28 times.

Plates 1271-4 not used.

Plate 1323. A photo of the proof sheet exists, but the whereabouts of the proof itself are not known.

Plates 1402,1407 not reported on Ph213.

Plate 1413 is reported on Ph214.

Plate 1416 unreported on Ph214.

Plate 1456 not reported on Ph213.

Plates 1632, 1633 at press 21 times each.

Plates 1652,1654,1656,1657,1683 not reported on Ph226.

Plates 1673 not reported on Ph217.

Plates 1721,1722,1723,1738,1740 not reported on Ph226.

Plate 1737 is reported on Ph226.

Plate 1888 not reported on Ph230.

Plates 1922,1923 to press 12-21-03, dropped 1-26-04.

Plates 1924-7 to press 12-21-03.

Plate 1946 used for special printing of Ph226, not for regular issue.

Plate 1951 dropped 2-23-04.

Plates 2061,2063,2064 not reported on Ph226.

Plate 2088 reported on Ph226.

Plate 2124 reported on Ph240a.

Plate 2143 not reported on Ph226.

Plates 2212,2442 reported on Ph240.

Plate 2221 reported on Cz5.

Plate 2285-8 to press 10-19-04.

Plate 2492 not reported on Ph226.

Plate 2792 not reported on Ph226.

Plates 2798,2799 not used on Ph226.

Plate 2822 not used on Ph226.

Plate 2952 reported on 317.

Plate 3119 known on 314H, Schermack I and III perfs.

Plate 3121 known on 314H with Schermack II perfs.

Plate 3136 known on 320H with Schermack III perfs.

Plate 3228 known on 314V with Brinkerhoff I perfs.

Plates 3236,7 known on 319g detached tabs only.

Plate 3333. First printing to 2-25-07. Second printing 3-1 to ? probably an abortive try.

Plate 3443 known on 319g.

Plate 3451 reported on 320H with Mailometer I and Schermack II perfs.

Plate 3452 reported on 320V with Brinkerhoff II and on 320H with Schermack III perfs.

Plate 3454 reported on 320V with Brinkerhoff I perfs.

Plate 3791 known on 300.

Plate 4073 reported on 315H with Schermack III perfs.
 Plate 4146 reported on 320H with U.S. Automatic Vending II and III perfs.
 Plate 4245 reported on 320H with Schermack III perfs and 320b with International Vending Co perfs.
 Plate 4247 is known on 319g.
 Plate 4289 is not the last die I book plate (4464 was; see below).
 Plate 4324 is reported on 314H.
 The following 2¢ book plates of the 1903 series are die I instead of die II:
 4357,8, 4363,4, 4367,8, 4374,5, 4379, 4382, 4418, 4423, 4430, 4435, 4439, 4443, 4445, 4451, 4457, 4464. The first die II book plates were 4441,2,4,6. Plate 4551 and later book plates are all die II. See U.S. Specialist, December 1991, p 641.
 Plate 4475 is reported on 319e (vert pair, imperf between)
 Plate 4559 is reported on 314V with U.S. Automatic Vending I perfs.
 Plate 4605 reported on 314H with Schermack III perfs.
 Plates 4617 4697 are reported on 320aH with Schermack III perfs.
 Plate 4671 is reported on 320aV with U.S. Automatic Vending I perfs.
 Plates 4712, 4713,4729,4734,4742 are reported on 314H with Schermack III perfs.
 Plate 4832 at press 3 times to 3-3-09. This may represent a late return to the vault from the third time at press, as the other three plates at press were dropped on 2-27 and that is the date given for cancellation.
 Plate 4868 is reported on 344H with International Vending Machine perfs.
 Plates 4876, 4879 are reported on 344H with Schermack III perfs. On 4876, delete 344E(SIII) listing.
 Plate 4876 reported on 344V with U.S. Automatic Vending I perfs.
 Plate 4880 reported on 348.
 Plate 4887 is reported on 344H with Mailometer IV perfs.
 Plate 4903 reported on 343H with Schermack III perfs.
 Plate 4905 is reported on 344H with U.S. Automatic Vending II perfs.
 Plate 4918 is reported on 345H with Mailometer IV perfs.
 Plates 4922-4 were at press 10 times.
 Plate 4926 is reported on 345V with Brinkerhoff II and IIa perfs and on 345H with Mailometer II perfs.
 The following plates are known on what has been called "China Clay" paper. This paper contains no China Clay, however, but is said to be distinct from the "blue" paper and the normal stamp paper.

Plate #	Scott #
4927	333a
4929, 4931	335a
4942	339a
4949	340a

Plate 4927 is reported on 345V with U.S. Automatic Vending I and Brinkerhoff II perfs.
 Plate 4927 is reported on 345H with International Vending Machine and Schermack III perfs.
 Plate 4928 is reported on 361, 347V, and on 347V with U.S. Automatic Vending I perfs.
 Plate 4929 is reported on 347V.
 Plate 4931 is reported on 347H with Mailometer IV and Schermack III perfs and on 347V.
 Plate 4932 is reported on 346H with U.S. Automatic Vending II and Schermack III perfs.
 Plates 4934, 4935 are reported on 346H with Schermack III perfs.

Plate 4957 was dropped 10-5-10.
Plate 4959 was at press 8 times.
Plate 4971 is reported on 343H with Schermack I perfs.
Plate 4972 is reported on 343V with U.S. Automatic Vending I perfs.
Plate 4973 is reported on 351.
Plate 4974 is reported on 343H with U.S. Automatic Vending II perfs.
Plate 4975 is reported on 343H.
Plate 4976 is reported on 368H with Mailometer III and U.S. Automatic Vending II and III perfs.
Plate 4977 is reported on 368V with U.S. Automatic Vending I and II perfs.
Plate 4979 is reported on 368H with Schermack I and III perfs.
Plate 4980 is reported on 343H with Mailometer II, III, and IV perfs.
Plate 4981 is reported on 368H with Mailometer IV perfs.
Plate 4982 is reported on 368H with Schermack I and III perfs.
Plate 4983 is reported on 368V.
Plate 4993 was not used on 343.

Plate 5015 is reported on 344H with Mailometer II perfs.
Certification dates for 5023-5036 must be in March, not February.
Plate 5033 is reported on 344V.
Plate 5072 is reported on 344H with Schermack III perfs.
Plate 5084 is reported on 343H with Schermack III perfs.
Plate 5097 was not used for 343.
Plate 5115 is reported on 344V.
Plate 5120 is reported on 353.
Plate 5131 is reported on 345H with Schermack III perfs.
Plate 5153 reported on 343.
Plates 5159, 5187 and 5179 are reported on 348.
Plates 5174 and 5175 are reported on 353.
Plate 5180 does not occur on 353.
Plate 5181 is reported on 344V.
Plate 5182 is reported on 344 and 344H.
Plates 5185 and 5188 are reported on 344H.
Plate 5190 is reported on 353.
Plate 5208 is reported on 371H with U.S. Automatic Vending II perfs.
Plate 5212 is reported on 346H with Schermack III and Mailometer IV perfs.
Plate 5217 is reported on 346H with Schermack III perfs.
Plate 5236 is reported on 371H with U.S. Automatic Vending III perfs.
Plate 5237 is reported on 371H with Schermack III perfs.
Plate 5249 is reported on 371V with Brinkerhoff I and II perfs.
Plate 5250 is reported on 371V with Brinkerhoff I and II perfs.
Plate 5256 is reported on 344H
Plate 5257 is reported on 371H with Mailometer IV and U.S. Automatic Vending III perfs.
Plate 5280 is reported on 344H.
Plates 5281 and 5308 are reported on 386.
Plate 5297 is reported on 349.
Plate 5301 not used for 374.
Plate 5306 reported on 344V with U.S. Automatic Vending I perfs.
Plate 5307 is reported on 353.
Plate 5308 is reported on 386.
Plate 5309 is reported on 344V and on 384H with Mailometer IV perfs.
Plate 5311 is reported on 386.
On plate 5312 the initials JAC are under stamp 91 LL in bottom margin.
Plate 5313 is reported on 343V
Plate 5317 is reported on 344V.

Plate 5320 is reported on 343V.
Plates 5321 and 5323 are reported on 386.
Plate 5323 is reported on 384V with Brinkerhoff II perfs.
Plates 5322, 5336 are reported on 343V with U.S. Auto. Vending I perfs.
Plate 5351 is reported on 384V
Plates 5354, 5355 were certified in August, not October.
Plate 5366 was not used for 375. It is reported on 384H with Schermack III perfs, but this must be an error for 344H as this plate was cancelled before the use of SL watermarked paper.
Plate 5373 is reported on 343V.
Plate 5378 reported on 385.
Plate 5380 is reported on 343V.
Plate 5383 is reported on 348, 352 and 385.
Plate 5384 was used for 331, but is unreported.
Plate 5386 is reported on 343V.
Plate 5389 is reported on 373H with Schermack III perfs.
Plates 5392, 5393 are reported on 373H with U.S. Automatic Vending III perfs.
Plate 5394 is reported on 373H with Schermack III and U.S. Automatic Vending II and III perfs.
Plate 5395 is reported on 373H with U.S. Automatic Vending III perfs.
Plates 5416, 5429 are reported on 383V.
Plate 5444 is reported on 385.
On plate 5454 the finisher was JWG.
Plates 5455, 5457, 5460 were used. Plate 5460 is now known on 374a, so two plates of the set of four to press together are known (the other was 5463).
Plate 5458 was not used for 375a, but 5459 was.
Plate 5476 is reported on 348.
Plate 5484 is reported on 383H with Farwell F4B, Schermack III, US Auto Vending III perfs.
Plate 5488 is reported on 385.
Plate 5489 is reported on 383H with Schermack III perfs.
Plates 5491, 5494, 5495 are reported on 383H with Mailometer IV perfs.
Plate 5496 was not used for 331.

Plates 5512, 5515 are reported on 384H with Schermack III perfs.
Plate 5516 is reported on 384H with Mailometer IV perfs.
Plate 5518 is reported on 384H.
Plate 5526 was to press 7 times until 8-8-29.
Plate 5528 is reported on 384V with U.S. Automatic Vending I perfs, and on 384H with U.S. Automatic Vending II perfs.
Plate 5531 was at press 19 times.
Plate 5533 was at press 13 times until 7-26-29.
Plate 5537 was at press 5 times to 8-8-29.
Plate 5540 was at press 11 times.
Plate 5541 was at press 7 times. For Postage Due Printing dates, see Research Paper # 1, available from the BIA.
Plate 5554 is reported on 384H with Mailometer IV perfs.
Plates 5563, 5565 are reported on 384V.
Plate 5564 is reported on 393.
Plates 5566, 5567 are reported on 383V.
Plate 5589 is reported on 384H with Schermack III perfs.
Plate 5598 is reported on 383H with Farwell 2-2B3 perfs.
Plate 5608 is reported on 384H with Farwell 2-2A3,2-2B3,4AB and Schermack III perfs.
Plate 5616 is reported on 384V and on 384H with Schermack III perfs.
Plate 5619 is reported on 384H with Farwell 4A and Mailometer II perfs.
Plate 5624 is reported on 384H with Farwell 2-2B3,4-B,4AB perfs.
Plate 5625 is reported on 384.
Plate 5631 is reported on 383H with Schermack III perfs.
Plate 5635 is reported on 384V and on 384H with Schermack III perfs.
Plate 5636 reported on 384 with Schermack III perfs
Plate 5639 is reported on 383V and on 383H with Schermack III perfs.
Plates 5643, 5644 are reported on 383V.
Plate 5656 is reported on 383H.
Plate 5666 is reported on 383.
Plate 5660 and 5669 are reported on 393.
Plate 5673 is reported on 392.
Plates 5677, 5678, 5679 are reported on 383V.
Plate 5679 is reported on 383H with Farwell 4-A,4-B perfs.
Plate 5709 is reported on 383H with Farwell 4-A,4-B perfs.
Plate 5715 is reported on 383H with Farwell 4-B perfs.
Plate 5717 is reported on 384V.
Plates 5732, 5733, 5734, 5735 are reported on 410.
Plate 5733 is reported on 408V.
Plate 5738 is known on 412.
Plate 5740 is reported on 409H with Farwell 4-A,4-B perfs.
Plates 5760, 5766 were at press 7 times.
Plate 5762 probably cancelled January 17, not June.
Plate 5775 was used for 475, but is unreported.
Plate 5785 is reported on 409H with Farwell 4-B,4AB perfs.
Plate 5792 is reported on 409H with Schermack III perfs.

Plate 5802 is on 409H with Schermack III perfs, not 409V(SIII).
Plate 5807 is reported on 408V.
Plate 5815 is reported on 413 and 409H with Schermack III perfs.
Plate 5819 is reported on 409H with U.S. Automatic Vending III perfs.
Plate 5828 is reported on 409V, 410 and on 408H with U.S. Automatic Vending III and Mailometer IV perfs.
Plates 5831 is reported on 408V and on 408H with Farwell 4-B,4-A&B perfs.
Plates A5832, A5835, A5838, A5842, A5869, A5911, A5912 are reported on 409V.
Plates 5833, 5834 are reported on 408V.
Plate 5837 is reported on 408V with Brinkerhoff BIIb perfs.
Plate 5849 is reported on 408V with Brinkerhoff I perfs.
Plate 5850 was used for 475, but is unreported.
Plate 5861 is reported on 409V, on 409V with Brinkerhoff I perfs, and on 409H with Schermack III perfs.
Plate 5867 is reported on 408H with Farwell 4-A perfs. It occurs on 408H with Schermack III perfs, not 408V(SIII).
Plate 5874 is reported on 410.
Plate 5876 is reported on 409V.
Plate 5878 is reported on 408H with U.S. Automatic Vending II,III and with Schermack III perfs and on 408V with U.S. Automatic Vending I perfs.
Plate 5881 is reported on 408H with Mailometer IV perfs.
Plates 5882,5883,5885 are reported on 408V with Brinkerhoff I perfs.
Plate 5883 was not used on 442 (fake perfs on 409V).
Plate 5884 is reported on 410.
Plate 5886 is reported on 408H with Mailometer IV perfs.
Plate 5888 is reported on 411 and 413.
Plates 5894, 5898 were imprint XIII.
Plate 5896 is reported on 409H.
Plate 5900 is reported on 410 and on 408H with Mailometer IV perfs.
Plates 5901, 5903, 5905 are reported on 408H with Mailometer IV perfs.
Plates 5908, 5912 are reported on 411.
Plate 5914 is reported on 409V.
Plates 5917, 5919, 5920, 5923 were not used for 444. Reports were based on fake perfed examples of 409H. These plates were thus used for 409H.
Plates 5928,5929 are reported on 409H with Mailometer IV perfs.
Plate 5960 is reported on 411.
Plates 5962, 5964, 5965, 5979, 5981 are reported on 409V.
Plates 5963, 5968, 5974 are reported on 409.
Plate 5979 is reported on 409H with Schermack III perfs.
Plate 5986 is reported on 409V.
Plate 5992 is reported on 413 and on 409H with Mailometer IV perfs.
Plates 5995, 5998 are reported on 411.

Plate 6004 is reported on 395.
Plate 6005 is reported on 412.
Plate 6007 is reported on 408V and on 408H with Schermack III perfs.
Plate 6009 is reported on 412.
Plate 6024 is reported on 409H with Schermack III perfs.
Plate 6031 is reported on 408V.
Plate 6032 is reported on 408.
Plate 6037 is reported on 410.
Plate 6041 is reported on 408H with Farwell 4-A,4-A&B perfs.
Plate 6042 was used on 408, since it is known as a Kansas City roulette, but is unreported on 408.
Plates 6044, 6048 and 6050 are reported on 394.
Plate 6051 is reported on 409H with Schermack III perfs.
Plate 6052 is reported on 394.
Plate 6055 was not used for 442 (fake perfs on 409V).
Plates 6063 and 6091 were used for 413.
Plate 6066 was used for 411.
Plate 6094 is reported on 409V.

Plate 6151 is reported on 409H with Farwell 4-A perfs.
Plate 6154 is reported on 408H with Schermack III perfs.
Plates 6161,6162,6164 at press 8 times.
Plate 6163 at press 6 times.
Plates 6167,6168 not used after imprint added.
Plates 6173,6174 at press 5 times.
Plates 6175,6176 at press 4 times.
Plates 6186,6189,6195,6199 not used after imprint added.
Plates 6200,6204,6206 not used after imprint added.
Plates 6201,6202,6203 did not receive an imprint (delete note 1 for these plates on the date page).
Plate 6210 at press 3 times.
Plate 6217 at press 6 times.
Plate 6266 not used after imprint added.
Plate 6281 is reported on 409H with Mailometer IV perfs.
Plate 6282 is reported on 408H with Schermack III perfs.
Plates 6286, 6289 are reported on 409H with Mailometer IV perfs.
Plate 6293 is reported on 409H with Schermack III perfs.
Plate 6301 is reported on 408H with Schermack III perfs.
Plates 6320, 6321 were last dropped from the press 7-25-13.
Plate 6323 was used for 402 but is unreported.
Plates 6334,6336 not used after imprint added.
Plates 6335,6337 at press until 4-24-13.
Plate 6342 is reported on 408 and 412.
Plate 6350 not used after imprint added.
Plate 6362 is reported on 413.
Plate 6436 is reported on 409V.
Plates 6438, 6446 were not used on 442 (fake perfs on 409V).
Plate 6442 was used for 402.
Plate 6450 is reported on 412.
Plates 6451, 6452, 6453, 6457, 6492, 6496, 6498 were not used on 442 (fake perfs on 409V).
Plates 6451, 6452, 6453, 6454, 6459 are reported on 411.
Plate 6475 is reported on 408H with Schermack III perfs.
Plate 6477 is reported on 408H.
Plate 6480 was not used on 443.
Plates 6491, 6493, 6495 are reported on 409V.
Plates 6494, 6495, 6496, 6497 are reported on 411.
Plates 6496, 6498 are reported on 409V with Brinkerhoff I perfs.
Plate 6499 is reported on 409H.
Plate 6501 was not used on 442 (fake perfs on 409V).
Plate 6504 reported on 413.
Plates 6506 and 6514 are reported on 409H.
Plate 6522 is reported on 413.
Plate 6555 was at press 19 times.
Plate 6556 was at press 12 times. For Postage Due printing dates, see Research Paper # 1, available from the BIA.
Plate 6615 is reported on 408H with Farwell 5 perfs.
Plates 6626,6639,6641 are reported on 413.

Plate 6642 is reported on 409.
Plate 6651 and 6665 are reported on 413.
Plate 6669 is reported on 444.
Plate 6696 was not used for 406a.
Plates 6727, 6776, 6777, 6778, 6787, 6829 are reported on 412.
On plate 6749, the finisher initials are JMW.
On plate 6751, the finisher initials in LR position are JR, not JP.
Plate 6760 is reported on 409H with Schermack III perfs.
Plates 6773, 6794, 6795, 6796 are reported on 413.
Plates 6777, 6793 are reported on 408H with Schermack III perfs.
Plate 6806 is reported on 425.
Plates 6823, 6836, 6861 are reported on 412.
On plate 6817 the finisher was RD.
Plates 6827, 6862, 6943, 6952, 6963, 7192, 7193, 7195, 7196, 7198, 7201 are reported on 444.
Plates 6828, 6830, 6839 are reported on 413.
Plates 6829, 6836, 6837 are reported on 443.
On date page, 6835 is incorrectly listed as 0835.
On plate 6845, 424 is in the incorrect column (should be SL 10).
Plates 6856, 6857 were used on 459 but are unreported.
Plate 6858 is reported on 443.
Plate 6867 is reported on 444.
Plate 6896 is reported on 425.
Plate 6899 was used for 476A, but is unreported.
Plate 6954 is reported on 424.
Plates 6962, 6968, 6974 are reported on 443.
Plate 6979 is reported on 409H with Schermack III perfs.
Plate 6985 is reported on 409.
Plate 6996. The siderographer is WMCA.
Plate 6997 is reported on 444.

Plates 7002, 7015 are reported on 444.
Plates 7008, 7012, 7149, 7294 are reported on 443.
Plate 7010 is reported on 408.
Plates 7054, 7056 are reported on 425.
Plates 7064, 7065, 7067, 7088 are reported on 444.
Plate 7082 is reported on 425d (perf 12 x 10).
Plate 7084 is reported on 409H with Schermack III perfs.
Plates 7091, 7092 were used for 406, but are unreported.
Plates 7101, 7102, 7104, 7105, 7115, 7117 are reported on 444.
Plates 7112, 7124 are reported on 406.
Plate 7120 is reported on 444.
Plates 7136-9 were at press 14 times until 4-2-18.
Plate 7155 is reported on 444.
Plate 7170 is reported on 452.
Plates 7192, 7195 are reported on 409H with Schermack III perfs.
Plate 7205 is reported on 472.
Plates 7225, 7229, 7245 are reported on 409H with Schermack III perfs.
Plates 7243, 7247 were dropped from the press the last time on 4-4-16.
Plate 7257 is reported on 409H with Schermack III perfs.
Plate 7282 is reported on 408.
Plate 7283 is reported on 408V with Brinkerhoff I perfs.
Plate 7294 is reported on 408H with Farwell 4-A perfs.

Plates 7301,7307,7326 are reported on 408H with Schermack III perfs.
Plates 7311,7318,7328 are reported on 409H with Schermack III perfs.
Plate 7322 is reported on 499c (vert pair imperf between).
Plate 7331 is reported on 427 and was at press 6 times to 3-19-18.
On plate 7342, the siderographer was FWMcN.
Plate 7348 was used on 427.
Plates 7352,7356,7390,7396 are reported on 409H with Schermack III perfs.
Plate 7361 is reported on 408.
Plate 7362 is reported on 427 and 503.
Plates 7363,7364 are reported on 408H with Schermack III perfs.
Plate 7372 was used on 427 and 503.
Plate 7410 is reported on 425.
Plates 7424,7447,7448 are reported on 409H with Schermack III perfs.
Plate 7449 was used on 424d, but is unreported.
Plates 7450,7478,7481,7486 are reported on 409H with Schermack III perfs.
Plate 7487 is reported on 409H and 444.
Plate 7496 is known on 454.
Plate 7501 is reported on 409H with Farwell 4-A perfs.
Plate 7536 is reported on 408.
Plates 7574,7594 are reported on 409H with Schermack III perfs.
On plate 7578 the initials should be JTWM and RD.
Plate 7600 was used for 465.
Plates 7603,7638 are reported on 409H with Schermack III perfs.
Plate 7606 was not used for 427, but is reported on 465.
Plate 7614 is reported on 409.
Plate 7624 is known on 455.
Plate 7674 is reported on 481H with Schermack III perfs.
Plates 7698,7699 are reported on 482H with Schermack III perfs.
Plate 7703 is reported on 482H with Schermack III perfs and 409H.
Plate 7708 is reported on 409H with Farwell 4-A perfs.
Plates 7721,7722 were used for 499, but only 7722 is reported.
Plate 7723 was used for 507, but is unreported.
Plate 7731 is reported on 498.
Plates 7769, 7770, 7771, 7773, 7775 are reported on 425.
Plate 7780 is reported on 482H with Schermack III perfs.
Plate 7809, 7869 are reported on 482H with Schermack III perfs.
Plate 7834 was at press 14 times.
Plate 7844 is reported on 499.
Plates 7863,7876,7894 are reported on 498.
Plate 7872 is reported on 499.
Plate 7892 was at press 6 times to 3-4-18.
Plate 7896 is reported on 481H with Schermack III perfs.
Plates 7905,7908 are reported on 498.
Plates 7930,7936,7944 are reported on 482H with Schermack III perfs.
Plate 7934 is reported on 463.
Plate 7945 is reported on 499a (imperf hor).
Plates 7968-7971 were dropped after 4 times at press on 12-4-17. The plates were cancelled 11-2-18.
Plate 7995 is reported on 482H with Schermack III perfs.

Plates 8003,8008 are reported on 462.
 Plate 8012 is reported on 499b (imperf vert.).
 Plate 8040 is reported on 481H with Schermack III perfs.
 Plate 8130 is reported on 483H with Mailometer IV perfs.
 Plate 8139 is reported on 483H with Schermack III perfs.
 Plate 8153 was at press once from 11-6-17 to 11-24-17.
 Plates 8154,8155 were at press from 10-27-17 to 11-20-17.
 On plates 8177, 8178, 8179 the siderographer initials are in the bottom margin under stamp 91 and the finisher initials under stamp 100.
 Plate 8206 is reported on 501c (Imperf horizontally).
 Plate 8209 is reported on 483H with Schermack III perfs.
 Plate 8259 is reported on 481H with Schermack III perfs.
 Plate 8270 was at press with 8269 from 3-27 to 3-30-18, but no copies are known. It is not clear whether any copies were printed.
 Plate 8282 is known on 494.
 Plates 8355, 8358 are reported on 484H with Schermack III perfs.
 Plate 8396 is reported on 481.
 On plate 8425 a small F occurs to left of the top plate number on a plate single. The F was presumably added to the plate before use, since there is no F on the proof.
 Plate 8476 was to press 2-8-22.
 Plate 8837 is reported on 535H with Schermack III perfs.
 On plate 8888, the siderographer ws JLH
 Plate 8945 was at press twice to 1-6-19.
 On plate 8953 a spot of color that may be an F is known to the left of a bottom plate number on a plate single. It is not known when this was added to the plate and it does not occur on the proof.
 Plate 8963. On the date page, the notes should be 2, not 1.

Plate 9129. Siderographer was DL, not DF.
 Plates 9135,9136,9141-9146 were certified in 1919, not 1918.
 Plate 9171. F is upside down.
 Plates 9206,9221 are reported on 482H with Schermack III perfs.
 Change second digit from 1 to 2 in plate #'s 9233-7 on the left hand page.
 On plate 9424 the finisher was GW.
 Plates 9434,9437 are reported on 482H with Schermack III perfs.
 On plate 9474 a mark which may be an F is known to the left of the plate number on a plate single (from a booklet pane). It is not on the proof.
 Plate 9840 was not used for 531.

Plate 10045 is known on 525.
 Plate 10075 is reported on 481H with Schermack III perfs.
 Plate 10097 is reported on 540.
 Plate 10121 is reported on 481H with Schermack III perfs.
 Plate 10164 is reported on 481.
 Plate 10199 is reported on 482H with Schermack III perfs.
 Plate 10209 is known on 500 with imperf top margin.
 Plates 10232, 10233. The siderographer is GRM.
 Plate 10236 is reported on 482.

Plates 10264,10265,10279,10280,10282,10290,10292 are reported on 481H with Schermack III perfs.

Plates 10260,10278,10284,10285 are listed as "private perf coil."

These were presumably 481H (SIII).

Plate 10286 is reported on 482.

Plate 10291 is reported on 481.

Plate 10324 is known on 499 with imperf top margin.

Plate 10360 is reported on 481H with Schermack III perfs.

Plate 10441 is reported on 498a (imperf hor).

Plate 10580 is reported on 481H with Schermack III perfs.

Plate 10642 was paired with 10640 for three days, but no copies known.

It is not clear whether any printing occurred.

Plates 10656,57,61,62 are reported on 498b (hor pair, imperf between).

Plate 10750 is reported on 540.

Plate 10759 is reported on 481H with Schermack III perfs.

Plates 10992 and 10998 are known on 527.

Plate 11260 is reported on 533H with Schermack III perfs.

Plate 11398 is reported on 534.

Plate 11414 is reported on 534H with Schermack III perfs.

Plate 11641 is reported on 534AH with Schermack III perfs.

Plate 11686 is reported on 534AH with Schermack III perfs.

Plate 11724 is reported on 540.

Plate 11728 is reported on 481 with Schermack III perfs.

Plate 11797 is reported on 540.

Plates between 11823 and 11849 were used for 528, not 528A.

Plate 12017 is known on 528.

Plate 12471 is reported on 546.

Plate 12494 is reported on 481H with Schermack III perfs.

Plate 12501 is reported on 481H with Schermack III perfs.

Plate 12504 is reported on 481.

Plate 12530 is reported on 546

Plate 12557 is known on 506a (perf 10 T or B).

Plates 12569-72 were at press 11 times. Final drop dates were 11-3-23 for 12569, 12571, 12572, and 10-30-23 for 12570.

Plates 12573-6 were at press only 3 times.

Plate 12615 is reported on 481.

Plate 12994 is reported on 482.

Plate 13210 was last dropped on 11-6-22.

Plate 13246 is reported on 482.

Plate 13298 is reported on 482.

Plate 13308 is reported on 481H with Schermack III perfs.

Plate 13375 at press only 7 times.

Plate 13390 is known on 498.

Plates 13467,70 are known on 511a (perf 10 T or B).

Plate 13480 is reported on 482.

Plate 13615 is reported on 538.

Plate 13671 is reported on 482H with Schermack III perfs.

Plate 13726 is reported on 482H with Schermack III perfs.
 Plate 13754 dropped on 11-3-23.
 Plate 13774 on left page in place of 11374.
 Plate 13801 is known on 492.
 Plate 13813 is known with imperf top margin on 538 (add note 2).
 Plate 13831 is reported on 540
 Plate 13840 is reported on 546.
 Plates 13844, 13845 at press 17 times; 13846 15 times; 13847 13 times.
 For Postage Due printing dates, see Research Paper #1, available from BIA.
 On plates 13847, 13849, 13887, the finisher initials FNC or LRM read down, not up.
 Plates 13852-5 all at press 5 times, and last dropped on 10-23-23.
 Plate 13931 is reported on 538.
 Plate 13938. Delete Note 5, which is not true.
 Plate 13946 is reported on 482H with Schermack III perfs.
 Plate 13968 is reported on 545.

Plate 14018 is reported on 499, so it was used. Remove parentheses around the number and delete note 2 on date page.
 Plate 14029 is reported on Canal Zone J19.
 On plate 14058 after intial printings, the F was changed from above the LR-Rplate number to left of the TR one. Plateblocks with and without F are known for the TR position, and ones with F for the LR-R position. It is not known whether the F was removed from the LR-R position.
 On plate 14060 after initial printings, the F was changed from below UL-L plate number to left of TR one, and plate blocks with and without F are known for both positions.
 Plate 14093 was last dropped 3-8-23.
 Plate 14159 is reported on 575H with Schermack III perfs.
 Plate 14197 is reported on 577H with Schermack III perfs.
 Plates 14202,14208-14210 were first at press on 2-7-23.
 Plates 14217,14218 are reported on 575H with Schermack III perfs.
 Plates 14254,14255 were at press 3 times.
 Plates 14256,14257 were at press 2 times.
 Plates 14296-8, note 3. The final drop date was probably 1-17-24.
 Plate 14339 is reported on 577.
 Plate 14342 is reported on 595.
 Plate 14524 is thought to have gone to press 5-8-23.
 Plate 14545 is reported on 554a (imperf vert)
 Plates 14598, 14599 were last dropped on 8-15-27.
 Plate 14655 is reported on 578
 Plate 14689 is reported on 554a (imperf vert)
 Plate 14734, note 1. The last printing period started 12-17-23 and probably ended 1-17-24. The plate was at press 4 times.
 Plate 14757 is reported on 595.
 Plate 14765 is reported on 577.

Plate 15025 is reported on 611H with Schermack III perfs.
Plate 15030,15032 to press 10-20-23.
Plate 15031 to press 10-23-23.
Plate 15069 at press 2 times.
Plate 15077, note 2. Drop date was 11-12-23.
Plate 15141 is reported on 599.
Plate 15145 is reported on 575H with Schermack III perfs.
Plate 15159 was at press 2 times.
Plate 15371 is reported on 597.
Plates 15409,15410 are reported on 575H with Schermack III perfs.
Plate 15410 is reported on 575.
Plate 15443 is reported on 599.
Plate 15453 is reported on 575H with Schermack III perfs.
Plate 15575 to press 11-6-24.
Plates 15602, 15623 reported on Canal Zone 73.
Plate 15699 is reported on 577H with Schermack III perfs.
Plates 15700, 15739 are reported on 577H with Schermack III perfs.
Plate 15808 is reported on 597.
Plates 15911,15937 are reported on 599.
Plate 15917 had 124,250 impressions.
Plates 15973,15976 are known on 597.
Plate 15976 was at press 17 times.

Plate 16015 was at press 15 times.
Plate 16050. On UR-R plate #, partial doubling of final 0.
Plate 16053 was at press 14 times.
Plate 16073 cancelled 11-17-27.
Plate 16084 at press 2 times.
Plate 16109 reported on 597.
Plates 16109,16110 at press 7 times.
Plate 16190 is reported on 577H with Schermack III perfs.
Plates 16203,16219,16220 are known on 599.
Plates 16208,16235,16238 are reported on 577H with Schermack III perfs.
Plate 16217 had 19200 impressions.
Plate 16264 is reported on 599.
On left page, the third digit in plate number 16327 is a 2, not a 3.
Plate 16443 was at press 12 times.
Plates 16460,16479 are known on 599.
Note 2 on plates 16508, 16520, 16533 is last sentence of footnote.
Plate 16511 is reported on 599.
Plate 16580 is reported on 577H with Schermack III perfs.
Plate 16595, Note 3. Initial was probably HMW.
Plate 16651 is reported on 577H with Schermack III perfs.
Plates 16684,16695 are reported on 599.

Plates 16714,16722,16724,16739,16743 are reported on 577H with Schermack III perfs.

Plates 16726, 16728, 16734 are reported on 599.

Plates 16751,16752 were at press in 1926, not 1925.

Plate 16755 is reported on 577H with Schermack III perfs.

Plate 16762 was wide gauge, no star.

Plate 16796 went to press 12-12-25 and was dropped 12-15-25. Southgate misinterpreted the plate record card, which still exists and we have seen; there was only one printing.

Plates 16862,16870,16872 are reported on 576H with Schermack III perfs.

Plate 16930 is reported on 576,

The flat plates used to print the 1922 series at first measured 21.6 cm from the centerline to the edge of the printed stamps in the horizontal direction on the lower denominations (vertical direction on the higher denominations which were arranged horizontally). This is called the "narrow gauge." In 1925 the Bureau began to make plates measuring 22.0 cm in this dimension (called "wide gauge"), and many of them were marked with stars, as noted in the checklist. All star plates are wide gauge. A number of wide gauge plates were not marked with stars, however, and we summarize these below:

All 1/2¢, 1 1/2¢ and 13¢ plates, except for the two 13¢ ones with stars.

2¢ plates 16505-8 (these were intermediate in spacing - 21.85 cm),
16656-9, 16762, 17111, 17118, 17150

11¢ plates 17414-7

20¢ plate 17725

25¢ plates 17442-5

30¢ plates 17446-9

The 17¢ plates show intermediate spacing (21.8 cm). All later plates starting with 18921 were wide gauge. Other plates without stars are narrow gauge.

The same change occurred on postage due plates. Plates up to 16000 were narrow gauge, while 1/2¢ plates 17127-31 were wide gauge. Plates 18724-7 (10¢) had intermediate spacing (21.75 cm), while later plates in the 19000 and 20000 series were wide gauge. No postage due plates had stars, however.

Plates 17027,8, Note 2. The arrangement # should be 12a. The same applies also to 15245,6, 17546-9, 17570-3 and 17680,1. See U.S. Specialist, May 1991.

On plate 17135 the siderographer initial was OHH and the finisher ones were FAG WWM.

Plate 17190 had a 5 pt, not 6 pt star.

Plates 17227-30 were star plates with 5 point star below UR-R plate number.

Plate 17291 is reported on 599.

Plate 17300 last dropped 1-21-26.

Plate 17316 is reported on 599; it was certified 6-5-25.

Plates 17414-17417 and 17442-17449 were wide gauge, no star.

Plates 17450-1, note 1. Add: The first two rotary booklet pane plates (17450,1) had horizontal and vertical guidelines similar to those on flat platebooklet pane plates, but no subsequent rotary book plates had guidelines. See U.S. Specialist, December, 1990, p 657. These plates were to press 7-24 to 7-29-25, 5-13 to 5-14-26, 7-21 to 7-27-26.

Plate 17587 was at press 3 times.

Plate 17601 is reported on 599.

Plate 17708 is reported on 577H with Schermack III perfs.

Plate 17725 was wide gauge, no star.

Plate 17846 is reported on 599.

Plate 17876 is reported on 577H with Schermack III perfs.

Plate 17878 is reported on 599.

Plate 17902 is reported on 599.

Plates 17937,17938 were each at press 15 times.

Plate 17961, Note 1 on date page. This plate never went to press, so reports are due to misreading the plate number.

Plates 18016,18018,18040,18041 are reported on 599.

Plates 18021-18028 have intermediate spacing.

Plates 18055,18075,18078 are reported on 599.

Plate 18082 was not used for 585.

Plates 18103,18148 are reported on 599.

Plate 18139. The proof lacks the central cross and gutter lines.

Plate 18173 is reported on 599.

Plate 18179 is reported on 639.

Plate 18197 is reported on 577H with Schermack III perfs.

Plates 18220,18221,18228 are reported on 577H with Schermack III perfs.

The impression total of 18228 is probably an error, since its three companion plates had 22475 impressions each.

Plate 18292 is reported on 599.

Plate 18303 is reported on 599.

Plate 18341 was dropped on 12-21-29, and cancelled on 12-26-29.

Plate 18399 was narrow gauge.

Plate 18405 is reported on 599.

Plate 18513 is known on 598.

Plates 18550-1 were to press 5-15 to 5-21-26 and 7-12 to 7-22-26.

Plate 18659 went to press 4-7-27.

Plate 18707 was not used for 583a.

Plate 18715 first to press 10-6-26.

Plates 18759,18760 are known on 598.

Plates 18807,18808 were each at press 21 times.

Plate 18817 is known on 598.

Plate 18834 was the companion plate to 18835 and thus had to have been used for Canal Zone 97, but no copies are reported.

On plate 18890 after initial printings, the inverted F was removed from the LL-B position, and plate blocks are known with and without the inverted F. No TR plate blocks showing the F are known, so it is not clear whether an F was ever added to this position.

On plate 18892 after initial printings, the inverted F was removed from the LL-B position and placed in the normal TR position. Plate blocks are known with and without F for both positions. See the U.S. Specialist, March, 1972, p 104, for the full story on 18890,2. Plates 18894, 18897, 18898 had 15926 impressions; 18899 had 15925. Plate 18921-18930 were wide gauge, no star. Plates 18983,18984 were each at press 13 times.

Plate 19079 was to press 4 times.
Plates 19161-19164 were wide gauge, no star.
Plates 19442-19445 were wide gauge, no star.
Plate 19478 was at press 5 times.
Plates 19485,19492 are reported on 599.
Plate 19513 is reported on 599.
Plate 19646 is known on 567a (imperf vertically).
Plate 19682 is known on 599A.
Plate 19758 was at press 30 times.
On plate 19882 the F is inverted in BL position.
Plate 19892 was at press 15 times.
Plate 19893 was at press 13 times.

Gideon Ryder in the Bureau Specialist for February 1946, p 34, lists impressions for the following plates. He says that he has such information for the first 9000 plates, but he died before publishing more than this first list. We have been unable to find the original records from which these were tabulated, so cannot confirm these numbers.

Plt #	Impress.	Plt #	Impress.	Plt #	Impress.	Plt #	Impress.	Plt #	Impress.
4897	50675	5010	83425	5186	176563	5414	211300	5573	190850
4898	50675	5011	83425	5187	251525	5416	211300	5591	145425
4899	72900	5012	83425	5192	251200	5418	213661	5592	124950
4900	72900	5013	83425	5193	113788	5420	213661	5595	113625
4901	55125	5014	78075	5198	113788	5429	213661	5596	113625
4902	72900	5023	78075	5206	113788	5432	213661	5598	142550
4903	97550	5024	78075	5216	203116	5435	154475	5599	144925
4904	59350	5029	16700	5223	251200	5438	206250	5600	142550
4906	76000	5030	16700	5227	181530	5441	154475	5601	144925
4907	45350	5034	16700	5232	188880	5444	154475	5602	109525
4908	48125	5035	16700	5234	181530	5447	111575	5603	204425
4909	48125	5037	58625	5242	181530	5449	111575	5604	204425
4910	40765	5038	58625	5255	252070	5452	111575	5605	204425
4911	40765	5040	58625	5259	213025	5454	111575	5607	204425
4912	22700	5041	58625	5263	205937	5455	7650	5620	176200
4913	63475	5076	36325	5264	205937	5457	7650	5621	130625
4914	63475	5077	56650	5267	205937	5460	7650	5622	176200
4915	48425	5078	56650	5268	205937	5463	7650	5631	176200
4960	57225	5079	36325	5279	192400	5473	161300	5632	153825
4962	68450	5080	36325	5287	213025	5474	117399	5633	143325
4966	57225	5081	56650	5294	221025	5475	153300	5634	143325
4967	57225	5082	36325	5301	111480	5476	117399	5637	143325
4971	107400	5083	56650	5313	203116	5477	104000	5639	77625
4972	107400	5084	82275	5320	139400	5478	104000	5640	108200
4974	107400	5085	48400	5322	139400	5479	140250	5643	77625
4975	107400	5086	39850	5330	183645	5480	161300	5644	77625
4980	81825	5087	48400	5333	150270	5481	125125	5647	160675
4985	90375	5089	151500	5336	150270	5482	140250	5651	160675
4986	81825	5091	151150	5340	74095	5483	104000	5656	130400
4989	163550	5093	151150	5345	136100	5484	170075	5657	130400
4991	101700	5097	151150	5352	171050	5485	140250	5658	130400
4993	101700	5098	178725	5359	169270	5486	142625	5659	130400
4994	101700	5100	160837	5360	180600	5487	96000	5663	126825
4995	101700	5101	178725	5373	179650	5488	167724	5664	89650
4997	178175	5103	148837	5378	180600	5489	135399	5665	81875
4998	180350	5111	148837	5380	184650	5490	128450	5666	87100
4999	173125	5118	178725	5382	179400	5491	88625	5672	121700
5000	132725	5124	148837	5383	180600	5493	114500	5673	121700
5001	98900	5137	178725	5384	180600	5494	128450	5677	140175
5002	98900	5152	150175	5385	171675	5495	128450	5678	124175
5003	98900	5153	157100	5386	124050	5496	128600	5679	124175
5004	98900	5159	287225	5387	192595	5497	141475	5682	73175
5005	98825	5162	171925	5401	237500	5498	155300	5699	57175
5006	98825	5166	171925	5402	241500	5499	96000	5705	73175
5007	98825	5169	178025	5403	237500	5566	190850	5706	73175
5008	98825	5179	178025	5404	237500	5567	190850	5707	95927
5009	79950	5180	178025	5413	164125	5572	190850	5708	95927
Plt #	Impress.	Plt #	Impress.	Plt #	Impress.	Plt #	Impress.	Plt #	Impress.
5709	66475	5712	81875	5714	72502	5736	72502	5799	32575
5710	81875	5713	81625	5725	66225	5794	32575		